

PAPILIO APOLLO.



CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatæ.

*Alæ (sedentis) erectæ sursumque conniventes,
(volatu diurno.)*

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis albis nigro-maculatis ; posteribus supra ocellis quatuor, subtus sex basique rubris.

*Lin. Syst. Nat. Gmel. p. 2256.
Eq. PARN.*

PAPILIO Rhea.

Poda ins. p. 66.

In Italia, Germania, Gallia, aliisque Europæ regionibus invenitur Papilio Apollo, in insulis Britannicis nunquam conspectus : larva atra, rubro-punctata, telephii folia præcipue depascitur, et in chrysalidem fuscum pulvere quasi glauco seu potius violaceo conspersam convertitur.

535



APOLLO.



GENERIC CHARACTER.

Antennæ commonly thickening towards the end
into a clavated tip.

Wings (when at rest) meeting upwards. (Flight
diurnal.)

SPECIFIC CHARACTER, &c.

Butterfly with white rounded wings, spotted
with black; the lower pair marked with
annular red spots.

L'Alpicola.

Pl. Enl. 68.

The Red-ring BUTTERFLY.

This elegant insect is a native of Italy, Germany, France, and some other parts of Europe, but is not found in the British dominions: the caterpillar is of a black colour, spotted with red, and changes into a brown chrysalis covered with a kind of glaucous or rather violet-coloured powder.